




# Knobs, Brackets & Nuts




## Standard Knobs



### Knobs A, B, C and D


Part No.	Knob	Color	Face Dia.	Shaft Size	Imprint
⊕ 81355	A	Chrome	1/2"	10-32 thd.	None
8197-10	B	Chrome	3/4"	10-32 thd.	None
8113-10	C	Chrome	7/8"	10-32 thd.	None
⊕ 8106	D	Chrome	3/4"	3/16" dia.	None



### Knobs F and G

Part No.	Knob	Color	Face Dia.	Shaft Size	Imprint
⊕ 8157-01	F	Black	7/8" w/bar	10-32 thd.	None
⊕ 8157-02	F	Ivory	7/8" w/bar	10-32 thd.	None
⊕ 8157-12	F	Black	7/8" w/bar	10-32 thd.	LIGHTS
8155-01	F	Black	7/8" w/bar	3/16" dia.	None
⊕ 8155-02	F	Ivory	7/8" w/bar	3/16" dia.	None
⊕ 8166-01	F	Black	7/8" w/bar	1/4" dia.	None
⊕ 8166-02	F	Ivory	7/8" w/bar	1/4" dia.	None
8163-01	G	Black	7/8" w/bar	10-32 thd.	None
8163-02	G	Ivory	7/8" w/bar	10-32 thd.	None
8163-03	G	Tan	7/8" w/bar	10-32 thd.	None
8163-12	G	Black	7/8" w/bar	10-32 thd.	LIGHTS

Knobs **F** and **G** can be imprinted as follows:  
 BACK-UP, DEFROST, DOME LIGHT, FAN, FOG LIGHTS, HEATER, LIGHTS, MARKER LIGHTS, PANEL LIGHTS, STOP, SWITCH, or WIPER.



### Knobs H, J, K, L and M


Part No.	Knob	Color	Face Dia.	Shaft Size	Imprint
81363	H	Black	1"	3/16" dia.	WIPER
⊕ 8138-03	J	Black	1"	10-32 thd.	None
⊕ 8138-06	J	Black	1"	10-32 thd.	LIGHTS
81260	K	Black	1 3/16"	10-32 thd.	None
⊕ 81258	K	Black	1 3/16"	10-32 thd.	LIGHTS
⊕ 81270-508	L	Black*	1 3/16"	10-32 thd.	None
⊕ 81298-01	L	Black*	1 3/16"	10-32 thd.	Wipert†
81298-03	L	Black*	1 3/16"	10-32 thd.	Headlamp†
⊕ 81298-05	L	Black*	1 3/16"	10-32 thd.	Defroster†
⊕ 81298-13	L	Black*	1 3/16"	10-32 thd.	Heater†
⊕ 81270-608	L	Black*	1 3/16"	3/16" dia.	None
81298-02	L	Black*	1 3/16"	3/16" dia.	Wipert†
⊕ 81298-04	L	Black*	1 3/16"	3/16" dia.	Headlamp†
⊕ 81298-06	L	Black*	1 3/16"	3/16" dia.	Defroster†
⊕ 81298-14	L	Black*	1 3/16"	3/16" dia.	Heater†
⊕ 8130	M	Black	1 1/4" long	1/4" dia.	None
8145	M	Black	1 1/4" long	1/4" dia.	None

Knobs **J** and **K** are available with selected imprints. Please consult factory .

**L** Plastic, metal insert with set screw. Knob **L** is available with the SAE symbols shown below. Please consult factory.



\*Textured matte finish. †Please refer to symbols shown below.



Switch Mounting Brackets

Fixed, plated steel, 1 1/4" long, 1" wide.












Part No.	Mounting Hole Dia.
⊕ 2402	3/8"
2405	1/2"
⊕ 2406	5/8"

Adjustable, plated steel, 2 5/8" long, 1" wide.



Part No.	Mounting Hole Dia.
⊕ 3450	3/8"
⊕ 3452	1/2"

Face Nuts

8340 & 8343 Chrome plated brass. 83307 Nickel plated brass. 8304 Chrome plated brass. 8361 Aluminum. 83274 Chrome plated brass. 8367 Aluminum. 83348 Aluminum. 83337 Chrome plated brass. 83296 Aluminum.

Part No.	Type	Mounting Thread	Hole to Clear	Thickness
8340	Hex - 5/8" flats	3/8-24	3/16" shaft	1/4"
8343	Hex - 5/8" flats	7/16-28	1/4" shaft	1/4"
83307	Round knurl - 9/16" dia.	15/32-32	-----	1/16"
8304	Round knurl - 3/4" dia.	5/8-32	1/2" button	1/4"
8361†	Round knurl - 7/8" dia.	5/8-32	1/2" button	17/64"
83274††	Round knurl - 29/32" dia.	5/8-32	1/2" button	9/16"
8367	Round knurl - 1" dia.	3/4-20	5/8"	19/64"
83348	Round knurl - 15/16" dia.	3/4-24	5/8"	3/8"
83337	Hex - 7/8" flats	13/16-24	5/8"	15/64"
83296	Round knurl - 1 3/16" dia.	1-24	5/8"	13/32"

†For use with 407 series rubber caps, pg. 120. ††Recessed for button protection.

Hex Nuts



For switch mounting, plated steel or brass.

Brass			
Part No.	Mounting Thread	Across Flats	Thickness
8346	3/8-32	1/2"	3/32"
8338	5/8-32	7/8"	1/8"
8349	11/16-32	7/8"	1/8"

Plated Steel

Part No.	Mounting Thread	Across Flats	Thickness
⊕ 8316	5/16-24	7/16"	3/32"
8310	3/8-24	9/16"	3/32"
8311	3/8-32	1/2"	3/32"
8322	7/16-20	5/8"	1/8"
8334	7/16-28	5/8"	1/8"
83272	15/32-32	9/16"	5/64"
8325	1/2-20	5/8"	1/8"
8328	5/8-32	3/4"	3/32"
8307	5/8-32	7/8"	1/8"
DL-21-7	11/16-32	7/8"	1/8"
84002	3/4-20	1"	3/16"
85753	3/4-32	7/8"	1/8"
85754	7/8-27	1"	1/8"



For terminal hardware, plated steel or brass.

Part No.	Material	Mounting Thread	Across Flats	Thickness
8249	Steel	10-32	3/8"	1/8"
84005	Steel	5/16-24	1/2"	3/16"
84012	Brass	5/16-24	1/2"	3/16"
84000	Brass	3/8-16	5/8"	5/16"
84013	Brass	3/8-24	9/16"	7/32"

### Weatherproof/Dustproof Caps for Momentary Switches



Fit Cole Hersee switches and all other momentary push button switches with 5/8"-32 thread mounting stem.

**No. 83280**

Cap is permanently fastened to mounting nut by rolled brass bezel.

Deep threaded 5/8"-32 aluminum mounting nut assures positive seal.

Durable, resilient grey rubber cap.

**No. 83280-02**

Same as No. 83280 except with red cap.

**No. 83280-03**

Same as No. 83280 except with black cap.

**No. 83280-05**

Oil resistant brown cap molded of special compound "Hydrin" which provides excellent resistance to fuel oils. For use on fuel oil tankers, delivery trucks and other equipment where fuel oil may be prevalent.

### Replacement Rubber Caps for Momentary Push Button Switches



**No. 407-01**

Gray rubber cap.

**No. 407-03**

Black rubber cap.

### Weatherproof/ Rubber Boot & Mounting Nut Assembly for Key Switches



Weather resistant rubber boot and mounting nut assembly to protect against moisture and dirt, with or without key engaged.

Part No.	Diameter	Thread	Material
83285-01	3/4"	20	Aluminum
83288	13/16"	24	Chrome plated brass